

SAFETY DATA SHEET



Revision date: 02-May-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name PERFORM PLUS

Product Code(s) 000000054231

Other means of identification

UN number 3265

Synonyms PERFORMPLUS-22KG; PERFORMPLUS-225KG; PERFORMPLUS-1100KG.

Recommended use of the chemical and restrictions on use

Recommended use Sanitiser.

Uses advised against No information available.

Supplier

Central Pacifics Chemicals Pte Ltd
Lot 1 Wailada Industrial Estate
Lami

Telephone Number: +679 3361500

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals

Category 1

Skin corrosion/irritation

Category 1 Sub-category A

Serious eye damage/eye irritation

Category 1

Specific target organ toxicity (single exposure)

Category 3

SIGNAL WORD

Danger

Label elementsCorrosion
Exclamation mark**Hazard statements**

H290 - May be corrosive to metals
 H314 - Causes severe skin burns and eye damage
 H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Keep only in original container
 Do not breathe fume, gas, mist, vapours, spray
 Wash face, hands and any exposed skin thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Wear protective gloves / protective clothing / eye protection / face protection

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
 Store locked up

Store in corrosive resistant container with a resistant inner liner

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Toxic to aquatic life

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

Chemical name	CAS No.	Weight-%
Hydrogen peroxide	7722-84-1	10-<30
Acetic acid	64-19-7	10-<20
Peracetic acid	79-21-0	<10
Non hazardous component(s)	-	to 100

4. FIRST AID MEASURES**Description of first aid measures**

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically. Can cause corneal burns.
---------------------------	---

5. FIRE FIGHTING MEASURES**Suitable Extinguishing Media**

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
-------------------------------------	---

Unsuitable extinguishing media	No information available.
---------------------------------------	---------------------------

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Containers may explode when heated. Cool drums with water spray.
---	---

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

Hazchem code	2X
---------------------	----

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Do not breathe fume, gas, mist, vapours, spray. Avoid contact with skin and eyes. Evacuate personnel to safe areas. Ensure adequate ventilation. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.
-----------------------------	---

For emergency responders	Use personal protection recommended in Section 8.
---------------------------------	---

Environmental precautions

Environmental precautions Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Do not breathe fume, gas, mist, vapours, spray. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling. Keep out of reach of children. Do not return unused product to original container.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store away from foodstuffs. Keep out of the reach of children. Keep container closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials Bases. Oxidizing agents. Reducing agents. Metals. Metal salts. Permanganates.

Poisons Schedule (SUSMP) 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Acetic acid: 8hr TWA = 25 mg/m³ (10 ppm), 15 min STEL = 37 mg/m³ (15 ppm)

Hydrogen peroxide: 8hr TWA = 1.4 mg/m³ (1 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls**Engineering controls**

Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

**Eye/face protection**

Tight sealing safety goggles. If splashes are likely to occur: Face protection shield.

Skin and body protection

Boots. Apron. Overalls.

Hand protection

Elbow-length impervious gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Liquid
Appearance	No information available.
Color	Colourless
Odor	Pungent
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	<2.0	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	ca. -42°C (calculation method)	None known
Boiling point / boiling range	No data available	None known
Flash point	Combustible vapours may occur above the SADT.	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	

Lower flammability or explosive limits	No data available	
Vapor pressure	ca. 32 hPa @20°C	None known
Vapor density	No data available	None known
Relative density	1.1	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	log Pow = -1.25 (calculation method)	None known
Autoignition temperature	No data available	None known
Decomposition temperature	>=60°C (Self Accelerating Decomposition Temperature, SADT)	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity Reacts with metals.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Heating causes rise in pressure with risk of bursting.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Heat. UV-radiation/sunlight.

Incompatible materials

Incompatible materials Bases. Oxidizing agents. Reducing agents. Metals. Metal salts. Permanganates.

Hazardous decomposition products

Hazardous decomposition products Oxygen, which will support combustion.

11. TOXICOLOGICAL INFORMATIONAcute toxicityInformation on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation Irritating to respiratory system.

Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning. Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity - Product Information

No information available.

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	Not a skin sensitizer. (guinea pig).
Germ cell mutagenicity	No information available.
Carcinogenicity	Refer to 'Chronic effects' section below. (IARC - International Agency for Research on Cancer).
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation. Classification is based on mixture calculation methods based on component data.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Hydrogen peroxide is an IARC Group 3 carcinogen (not classifiable as to human carcinogenicity).

12. ECOLOGICAL INFORMATION**Ecotoxicity****Ecotoxicity** Keep out of waterways. Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrogen peroxide	EC50: =2.5mg/L (72h, Chlorella vulgaris)	LC50: =16.4mg/L (96h, Pimephales promelas) LC50: 18 - 56mg/L (96h, Lepomis macrochirus) LC50: 10.0 - 32.0mg/L (96h, Oncorhynchus mykiss)	-	EC50: 18 - 32mg/L (48h, Daphnia magna) EC50: =7.7mg/L (24h, Daphnia magna)

Acetic acid	-	LC50: =79mg/L (96h, Pimephales promelas) LC50: =75mg/L (96h, Lepomis macrochirus)	-	EC50: =65mg/L (48h, Daphnia magna) EC50: =47mg/L (24h, Daphnia magna)
Peracetic acid	-	LC50: =1.1mg/L (96h, Lepomis macrochirus)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
Acetic acid	-0.31

Mobility

Mobility in soil No information available.

Other adverse effects**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION**ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number 3265
Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS PERACETIC ACID)
Hazard class 8
Packing group II
Hazchem code 2X

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3265
UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS PERACETIC ACID)
Transport hazard class(es) 8
Packing group II

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3265
UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (CONTAINS PERACETIC ACID)
Transport hazard class(es) 8
Packing group II
IMDG EMS Fire F-A
IMDG EMS Spill S-B

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poisons Schedule (SUSMP) 6

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Acetic acid - 64-19-7	10 tonne/yr Threshold category 1

International Inventories

AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals or are exempt.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 02-May-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheetLegend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 RTECS (Registry of Toxic Effects of Chemical Substances)
 World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet